Modulair batterij cabinet (RPC20-systeem)

RPC20

Bekijk dit product in onze webshop



29.11.2026 - Disclaimer: wijziging van gegevens voorbehouden

- Plug & play installatie via interne RPC-busstructuur – geen DC-bekabeling nodig
- Voorkomt bekabelingsfouten en verkort installatietijd aanzienlijk
- Stabiele en compacte rekconstructie met geïntegreerde ventilatieroosters
- Afneembare zijpanelen met kwartslagsluiting – snelle toegang bij onderhoud
- Afsluitbare voor- en achterdeur – optimale bescherming en veilige plaatsing
- Modulair ontworpen voor installatie van meerdere 5?kWh batterijmodules
- Voorbereid voor aansluiting op hybride inverters en SMARTHUB-EMS

Technische specificaties:

Cabinet	
Containable of RPC battery	max. 4 units (20KWH), max. 4 enh (20KWH)
Material	SPCC, SPCC
Length	600mm, 600mm
With	630mm, 630mm
Height	731mm, 731mm
Single-section size / slot size	482*498*137mm, 482*498*137mm
Gross weight	68.26KG, 68.26KG
Net weight	59.86KG, 59.86KG
Maximum load weight	500KG, 500KG
Power connector	1*350A Anderson power connector, 1*350A Anderson power connector
Built-in Busbar	1*300A, 1*300A
IP rating	IP20, IP20

