Modulair batterij cabinet (RPC60-systeem)

RPC60

Bekijk dit product in onze webshop



29.11.2026 - Disclaimer: wijziging van gegevens voorbehouden

- Plug & play installatie via interne RPC-busstructuur – geen DC-bekabeling nodig
- Voorkomt bekabelingsfouten en verkort installatietijd aanzienlijk
- Stabiele en compacte rekconstructie met geïntegreerde ventilatieroosters
- Afneembare zijpanelen met kwartslagsluiting – snelle toegang bij onderhoud
- Afsluitbare voor- en achterdeur – optimale bescherming en veilige plaatsing
- Modulair ontworpen voor installatie van meerdere 5?kWh batterijmodules
- Voorbereid voor aansluiting op hybride inverters en SMARTHUB-EMS

Technische specificaties:

Cabinet	
Containable of RPC battery	max. 12 units (60KWH), max. 12 enh (60KWH)
Material	SPCC, SPCC
Length	600mm, 600mm
With	630mm, 630mm
Height	2005mm, 2005mm
Single-section size / slot size	482*498*137mm, 482*498*137mm
Gross weight	130KG, 130KG
Net weight	130KG, 130KG
Maximum load weight	1000KG, 1000KG
Power connector	2*350A Anderson power connector, 2*350A Anderson power connector
Built-in Busbar	2*300A, 2*300A
IP rating	IP20, IP20

